
B04 PETITE

BARIL
STYLE × FUNCTION

Born from the desire to offer a versatile and timeless product, reminiscent of the ubiquitous little (PETITE) black dress, this collection will seduce you by its simplicity. Composed of accessible faucets and accessories, PETITE displays delicate and refined lines, yet is built with solid premium components. This collection is available in a wide range of finishes, including our new Black Titanium (KM).



B04 PETITE

B04-8100-00L-xx

Single lever wall-mounted lavatory faucet, drain not included



Easy installation

One-piece rough and adjustable depth from your finished wall for a very easy and sturdy installation

High quality material

BARiL faucets last longer because they are forged of solid brass thicker than average

Flawless finish

Multiple finishes available to give a personal touch to your faucet. Made with best technologies available

European cartridge


Made with high performance ceramic, this cartridge is amongst the most durable on the market

Refined design

Delicate and sophisticated square spout paired with a rounded handle, for an elegant and timeless design.

Adjustable aerator

Allows adjustments in the water stream's direction by the touch of a finger
















BARIL Uses 30% less equals quality water

Ecological options available

Durable ceramic cartridge

Ensures the perfect stream

Adjustable Aerator _

BARIL
STYLE × FUNCTION

Our easy-to-clean German-made swivel aerator lets you direct the flow where you want it. Simply rub this soft silicon aerator with your finger to clean it, and continue to enjoy its perfect crystal-clear stream. No more splashing!



Ecological Options

BARiL is supporting the environment by offering options to reduce the water flow thereby economising your water usage

B04-8100-00L-xx	B04-8100-00L-xx-120	B04-8100-00L-xx-100	B04-8100-00L-xx-050
1.5 gpm - 60 psi	1.2 gpm - 60 psi	1.0 gpm - 60 psi	0.5 gpm - 60 psi
5,7 l/min - 60 psi	4,5 l/min - 60 psi	3,7 l/min - 60 psi	1,9 l/min - 60 psi

Attention to Detail.

BARiL faucets are designed with both style and function in mind. The thin flanges and the delicacy of the spout are only two examples of our dual design thinking.



Dimensions:


Model: B04-8100-00L-xx


Flange diameter: 2-3/8"

Center to center: 4"

Height: 2-1/2"

Spout reach: 7-1/2"





Easy installation.

Trouble free installation thanks to a one-piece rough mounted on a steel plate: easy to fix and to level, no risk of misalignment of spout and handle.




Adjustable depth from your finished wall

1" range of depth adjustment

Separate downward-pointing hot and cold connections

This construction makes it very easy to connect your waterways



Plastic protectors

Provide help for the rough installation (drilling template, indication of depth versus finished wall), and protect the rough during finishing steps.

