
### UNICK II \_\_\_



The UNICK II bar / prep kitchen faucet is timeless, its modern lines match any type of decor. The spray head shape adds a touch of softness to the whole. This faucet offers excellent value for money.





Single hole bar / prep kitchen faucet with 2-function pull-down spray



# Adjustable speed of return

According to the user's wish when using the included weight and/or spring

# 2-function pull-down spray

High performance stream & spray function with anti-limestone jets

#### Quality cartridge

European high durability ceramic cartridge

#### Ergonomical faucet

Convenient to fill large pots & tall pitchers

#### 360° swivel spout

Easy to position and allows to reach every corners of the sink

#### "Cool start"

Opens on cold water when the handle is in upward position

# Smart handle design

Rotates only 15° to avoid knocking the backsplash

#### Easy installation


Very sturdy installation with threepoints tightening using only 3 screws





quality












Smart handle design

## 360° Swivel Spout

Allows to reach all areas of the sink comfortably and with ease, so you can fill a pot or wash the sink easily.





### Dual Function Sprayhead



With the option between a steady aerated stream and a powerful spray, every tasks will be flawlessly accomplished. Go back between them whitout even turning off the water!



### Smart Handle Design

The handle only rotates 15° towards the back to avoid knocking on the backsplash and to allow comfort of use even in minimum space.

The faucet opens on cold water when the handle is in upward position, allowing energy savings and avoiding risks of scalding.








## Easy Installation

The installation of a BARiL faucet is very sturdy and simple, thanks to our threaded nut with easy-to-reach screws, even in tight location.



3-points tightening make the installation very sturdy: it will not loosen.




### **Softpex Supply Lines**

Corrosion and kink resistant, color coded. Swivel connection nuts to water inlets to facilitate the installation, and avoid twisting of the supply lines.

### Quick Connection \_\_\_\_

The brass connection facilitates the sprayhead hose's connection to the water supply. Complete the connexion with a simple click - no tools required.





### Ergonomic Faucet

Convenient to fill large pots and tall pitchers, BARiL faucets are designed to fit anywhere, on any sink configurations (single bowl, double bowls, etc.).



#### Dimensions

Faucet height: 13-1/2"

Aerator clearance: 6-3/4"

Spout reach: 7"

Number of hole required: 1

Maximum deck thickness: 2-1/2"

