



Fiji & Solo Infusion Microbubble Therapy Alcove Acrylic Bathtubs - Specifications



Fiji

MB3666L, MB3666R



Solo

MB3260L, MB3260R

Actual Size: 36x66x24
Soaking Depth: 17 inches
Shipping Size: 38x68x32
Shipping Weight: 250 lbs.

Net Weight: 180 lbs.
Water Capacity: 90 gal
Occupied: 55-75 gal

Actual Size: 32x60x24
Soaking Depth: 16 inches
Shipping Size: 34x62x32
Shipping Weight: 240 lbs.

Net Weight: 170 lbs.
Water Capacity: 85 gal
Occupied: 45-65 gal

Included Features - Fiji

1. Acrylic Tub Shell:
 - Gloss White Finish
 - Fiberglass Reinforced
2. Stainless steel frame with leveling legs
3. Removable front apron
4. Acrylic end panel
5. Wide panoramic glass front
6. Four (4) LED Chromatherapy Lights
7. MicroBubble Therapy System 10AMP 1200W
 - Digital Control
 - 1HP Pump
 - Pressure Vessel
 - Agitator Valve

Floor Drains

- One (1) 2" PVC T-type two (2) outlet drain with endcap
- One (1) overflow and cable operated opener with extended handle for easier grip in chrome finish

Warranty

- 5 year warranty on tub shell, frame and parts (please visit www.ellasbubbles.com for detailed information)

Electrical Requirements:

One (1) dedicated 120V electrical line with a 20AMP GFCI standard three prong outlet is required

Included Features - Solo

1. Acrylic Tub Shell:
 - Gloss White Finish
 - Fiberglass Reinforced
2. Stainless steel frame with leveling legs
3. Removable front apron
4. Acrylic end panel
5. MicroBubble Therapy System 10AMP 1200W
 - On/Off Push Control
 - 1HP Pump
 - Pressure Vessel
 - Agitator Valve

Floor Drains


- One (1) 2" PVC T-type two (2) outlet drain with endcap
- One (1) overflow and cable operated opener with extended handle for easier grip in chrome finish



Warranty

- 5 year warranty on tub shell, frame and parts (please visit www.ellasbubbles.com for detailed information)


Electrical Requirements:

One (1) dedicated 120V electrical line with a 20AMP GFCI standard three prong outlet is required





Infusion™ Microbubble Therapy



Package Jetting Information:


1. MicroBubble Therapy System 10AMP 1200W

- 1HP Pump
- Pressure Vessel
- Air Switch and one (1) jet
- Agitator Valve

Electrical Requirements:

One (1) dedicated 120V electrical line with a 20AMP GFCI standard three prong outlet is required

Infusion™ Microbubble Therapy



Package Jetting Information:

1. MicroBubble Therapy System 10AMP 1200W

- 1HP Pump
- Pressure Vessel
- Air Switch and one (1) jet
- Agitator Valve

Electrical Requirements:

One (1) dedicated 120V electrical line with a 20AMP GFCI standard three prong outlet is required