

PRODUCT DESCRIPTION:

Adjustable feet

Traditional style

Gloss finish resistant to stains and discoloration Acrylic thermoformed and reinforced with fiberglass

WATER CAPACITY:	IMMERSION:
63 gallons	15 1/4 po

BOX SIZE:

68" x 37" x 25'

NET WEIGHT:	GROSS WEIGHT:
68 lbs	86 lbs

The electronic control will be installed on the same side as the tiling flange.

GENERAL OPTIONS

Acrylic Colors: White
Biscuit* and Bone* (Allow 3 weeks delivery)
Others*: (Allow 6 to 8 weeks delivery)

Podium Bathtub (No tiling flange)

Available in right or left version (Integrated Tiling Flange)

Delight 66" Removable Skirt (Not factory installed)

 Chromotherapy 1 light (Specify trim color)
 17.99999.0000.00

 Chromotherapy 2 lights (Specify trim color)
 17.99999.0001.00

 Chromotherapy 4 lights (Specify trim color)
 17.99999.0002.00

 Handle (max. 2) (submit drawing with order)
 95.7077.106.XX

 D106 Waste (27") Chrome
 62.4027.103.60

 Gel black neck pillow (12"x 4 1/4 x 1 1/4")
 18.6000.100.20

Rayola** (Specify control color)

Available for bathtub without system only

WHIRLPOOL OPTIONS

A bathtub fitted with back jets may cause the pump to protrude by \pm 4 from the overall dimension.

Whirlpool Jet finish: Chrome, White, Biscuit, Bone Standard

110v Inline Heater (1)

MASS-AIR/ACTIV-AIR OPTIONS

Mass-Air Jet finish: White/Chrome Standard

Biscuit/Chrome Bone/Chrome Others: Chrome/Chrome

Activ-Air Jet finish: Chrome, White, Biscuit, BoneStandardBlower Hose extension 72"95.5013.167.00Blower Hose extension 96"95.5013.168.00144" Extension cord95.3012.101.00

An extension cord and blower hose extension are necessary when the blower is located more than 2' from the electronic control, not available on whirlpool combos.



Standard

Standard

Bathtub only

DE3666

5 days



Whirlpool

DE3666T

Included: 6 turbo jets, 5 micro-rotating back jets, 13 A pump, diverter valve and electronic control.



Mass-Air

DE3666M

Included: 16 (11-5) injectors, Optima blower 750W (1 $\frac{1}{2}$ h.p.) with 300W heating element and backlit electronic control.



Activ-Air

DE3666A

Included: 45 micro-jets, Optima blower 750W (1 % h.p.) with 300W heating element and backlit electronic control.



Mass-Air/Whirlpool Combo

DE3666C

Included: 6 turbo jets, 5 micro-rotating back jets, 11 Mass-Air injectors, 13 A pump, Optima blower 750W (1 ½ h.p.) with 300W heating element, diverter valve and backlit electronic control.



Activ-Air/Whirlpool Combo DE3666CA

Included: 6 turbo jets, 5 micro-rotating back jets, 38 Activ-Air micro-jets, 13 A pump, Optima blower 750W (1 ½ h.p.) with 300W heating element, diverter

valve and backlit electronic control.



Mass-Air/Activ-Air Combo DE3666

Included: 45 Activ-Air micro-jets, 11 Mass-Air injectors, two Optima blowers 750W (1 $\frac{1}{2}$ h.p.) with 300W heating element and backlit

electronic control.



Activ-Air/Mass-Air/Whirlpool Combo DE3666TAM

Included: 6 turbo jets, 5 micro-rotating back jets, 38 Activ-Air micro-jets, 11 Mass-Air injectors, 13 A pump, two Optima blowers 750W (1 ½ h.p.) with 300W heating element, diverter valve and backlit electronic control.



First manufacturer of bathroom products in North America to be certified ecoresponsible.

COMPLIANCE ATTESTATION

^{*}Customized products, non cancellable, non returnable.


^{**}Not available with a neck pillow.




DELIGHT 3666

DROP-IN

Bathtub





produitsneptune.com 08-2017

 $^{^*\}mbox{A}$ bathtub fitted with back jets can cause the pump to protrude by approximately 3" from the overall dimension.

^{**}All dimensions are approximate and subject to change without notice.


Please refer to the installation guide before beginning the installation



DELIGHT 3666

RIGHT DRAIN WITH INTEGRATED TILING FLANGE





produitsneptune.com 08-2017

^{*}A bathtub fitted with back jets can cause the pump to protrude by approximately 3" from the overall dimension.

^{**}All dimensions are approximate and subject to change without notice.


Please refer to the installation guide before beginning the installation



DELIGHT 3666

LEFT DRAIN WITH INTEGRATED TILING FLANGE

Bathtub



produitsneptune.com 08-2017

^{*}A bathtub fitted with back jets can cause the pump to protrude by approximately 3" from the overall dimension.

^{**}All dimensions are approximate and subject to change without notice.

Please refer to the installation guide before beginning the installation